

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	chemical adj graph	USPAT	OR	OFF	2006/01/22 15:33
L2	1973	connection adj table	USPAT	OR	OFF	2006/01/22 15:41
L3	663	equivalent and 2	USPAT	OR	OFF	2006/01/22 15:33
L4	29	equivalent same 2	USPAT	OR	OFF	2006/01/22 15:36
L5	6	chemical and 4	USPAT	OR	OFF	2006/01/22 15:35
L6	35	chemical same 2	USPAT	OR	OFF	2006/01/22 15:35
L7	17	equivalent and 6	USPAT	OR	OFF	2006/01/22 15:41
L9	2135	gemini	USPAT	OR	OFF	2006/01/22 15:41
L10	14	2 and 9	USPAT	OR	OFF	2006/01/22 15:41

[Sign in](#)

Google [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 61 - 70 of about 249 for symmetry "connection table" equivalent. (0.40 seconds)

[PDF] Kap_02 15..168

File Format: PDF/Adobe Acrobat

constitutional **symmetry** (Figure 2-44). As can be seen, this algorithm additionally identifies constitutionally **equivalent** ...doi.wiley.com/10.1002/3527601643.ch2 - [Similar pages](#)**[PDF] Stereochemical substructure codes for ¹³C spectral analysis**

File Format: PDF/Adobe Acrobat

that it is possible for substructures to have **symmetry**. elements not present in the complete ... procedures create a file containing **connection table** ...doi.wiley.com/10.1002/mrc.1270150412 - [Similar pages](#)**[PDF] Contents**File Format: PDF/Adobe Acrobat - [View as HTML](#)... at ambient temperature 40 °C. 3) The power supply impedance without a reactor is considered to be the **equivalent** of 0.1% of ... **Table 2-1-1** Operating environment ...www.bonfiglioliusa.com/products/ industrial/drives/pdfs/gsx600_man.pdf - Supplemental Result - [Similar pages](#)**[PDF] JOELib Tutorial**File Format: PDF/Adobe Acrobat - [View as HTML](#)**connection table** is needed to calculate the external rotational **symmetry**, or topological **equivalent**. atoms. Equation 5-12. Graph potentials ...www-ra.informatik.uni-tuebingen.de/ software/joelib/tutorial/JOELibTutorial.pdf - [Similar pages](#)**[PDF] USER MANUAL**File Format: PDF/Adobe Acrobat - [View as HTML](#)Polarities and electronic tachos **connection table**, with CW rotation on motor shaft ... Check the **symmetry** of the impedances among the three motor phases ...www.scsinfo.it/manuali/pdf/nt165e03.pdf - Jan 21, 2006 - [Similar pages](#)**ITU-Telecommunication Standardization Sector Temporary Document ...**... **TABLE 1-4** Ownership Capabilities Permission Call Owner ... of providing at least the **equivalent** of a ... data, etc.), information transfer rate, **symmetry** and media ...www.omg.org/docs/telecom/98-03-09.txt - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)**HistCite - index: Dubois JE**Detection of constitutionally **equivalent** sites from a **connection table** ...Molecular geometry and **symmetry** from a differential geometry viewpoint ...www.garfield.library.upenn.edu/ histcomp/dubois_all_w-citing/index-17.html - 176k - [Cached](#) - [Similar pages](#)**[PDF] EU Enlargement and Endogeneity of OCA Criteria: Evidence from the ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... should lead to a higher **symmetry** of shocks. ... Blanchard and Quah (1989) and Babetskii, Boone and Maurel (2002, 2003) we use 8 lags, which is **equivalent** to two ...oueba.univ-lille1.fr/afsemedee/ communications/babetski_jan1.pdf - Supplemental Result - [Similar pages](#)**[PS] J Phrases Chris BurkeRoger KW Hui Kenneth E. IversonEugene E ...**File Format: Adobe PostScript - [View as Text](#)

f is symmetric under g if f&g is **equivalent** to f; is skew if it is **equivalent** to -@f; or neither. Item c of parity concerns **symmetry** under - ...
www.cs.trinity.edu/About/The_Courses/cs179h/j-pdf/jphrases.ps - [Similar pages](#)

[PDF] **STRUKTURA 2001**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

coded as a chemical **connection table** comprising atom and. bond properties. ...

symmetry, the covalent radii and the crystallographic con- ...

www.xray.cz/ms/bul2001-1a/kolok-lectures.pdf - Jan 20, 2006 - [Similar pages](#)

◀ Goooooooooooooooooooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [Next](#)

symmetry "connection table" equival

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Graph Automorphism Perception Algorithms in Computer-Enhanced Structure Elucidation

Marko Razinger,[†] K. Balasubramanian,[‡] and Morton E. Munk*

Department of Chemistry, Arizona State University, Tempe, Arizona 85287-1604

Received March 2, 1992

The concept of graph symmetry is explained in terms of the vertex automorphism group, which is a subgroup of the complete vertex permutation group. The automorphism group can be deduced from the automorphism partition of graph vertices. An algorithm is described which constructs the automorphism group of a graph from the automorphism vertex partitioning. The algorithm is useful especially for graphs which contain more than one vertex-partition set. Several well-known topological symmetry perception algorithms that yield automorphism partitions are compared. The comparison is favorable to the Shelley-Munk algorithm, developed in the framework of the SESAMI system for computer-enhanced structure elucidation.

INTRODUCTION

Most computer programs that require the manipulation of chemical structures among their operations (e.g., computer-enhanced structure elucidation, spectrum interpretation and simulation, and synthetic design) must eventually be able to recognize and process stereochemical information if they are to be truly useful.¹ There are different approaches to the treatment of stereochemistry² and related problems, but all of them share in common the need to consider the symmetry of the molecular structure under consideration.

Symmetry properties of molecular structures are very important because they are reflected in a variety of molecular properties, interactions, and other structure-related phenomena.³ For the correct interpretation of some experimentally derived information, e.g., X-ray diffraction patterns or IR spectra, the determination of molecular stereochemistry is necessary; this implies the use of group theory formalism in the determination of appropriate space or point groups and their elements. In some other areas, like computer-enhanced structure elucidation⁴ or the enumeration of ¹³C-NMR signals,⁵ partial solutions are possible using topological symmetry (connectivity) instead of three-dimensional geometry. For such cases, a different concept of symmetry, based on graph theory, can be used to advantage.⁶

The objective of this article is to describe the connection between the automorphism partitioning of the vertices of graphs and the automorphism groups of graphs. An algorithm to construct the automorphism group from the automorphism partition of the vertices is presented. Several procedures to obtain the automorphism partitioning of graphs, including graphs containing isospectral points, are compared with the Shelley-Munk algorithm.^{7,8} A critical comparison shows, contrary to the perception in the literature,^{9,10} that the algorithm is rigorous and efficient and distinguishes isospectral points without difficulty.

SYMMETRY OF GRAPHS

The properties of a graph do not depend on its pictorial representation, but only on its connectivity. Thus, a graph, which can be drawn in several different ways, may appear to possess different symmetry elements in the normal sense of point group symmetry; however, the topological symmetry of each representation is identical based on connectivity. This

aspect makes the consideration of graph symmetry quite different from the conventional molecular point group and space group approaches. (This is discussed with examples in ref 11.)

In terms of graph theory, the structural symmetry relates to the vertex automorphism group: this group is a subgroup of the complete vertex permutation group of the graph representing the chemical structure.^{12,13} Mathematically, these relations can be expressed simply and succinctly by using matrix algebra. The two matrices used in the following relations are the adjacency matrix *A* and the permutation matrix *P* defined as

$$A_{ij} = \begin{cases} 1 & \text{if vertices } i \text{ and } j \text{ are neighbors} \\ 0 & \text{otherwise} \end{cases}$$

$$P_{ij} = \begin{cases} 1 & \text{if a mapping of vertices } i \rightarrow j \text{ is induced by the given} \\ & \text{permutation of vertices} \\ 0 & \text{otherwise} \end{cases}$$

There are *n*! possible labelings of a graph with *n* vertices. Each of them can be represented by a vector *P*, and the transformation between two different labelings is given by the permutation matrix *P*.

In Figure 1, three of 120 possible labelings of a graph are shown together with the corresponding adjacency matrices *A* and permutation vectors *P*. Although the graphs *G*₁ and *G*₂ represent the same structure, they are not identical because of the different labelings of their vertices, i.e., different connectivity. Since they represent the same structure, they are known as isomorphic graphs. The isomorphism can be expressed mathematically with the following relations, holding generally for all graphs:

$$P_{12}^{-1} A(G_1) P_{12} = A(G_2) \quad (1)$$

Because the permutation matrix is an orthogonal matrix, its inverse is equal to its transpose, and the relation can be further simplified:

$$P_{12}^T A(G_1) P_{12} = A(G_2) \quad (2)$$

Such a transformation is called an isomorphism between the graphs *G*₁ and *G*₂. Figure 2 shows the matrices and the results of matrix multiplication for the expression 2: the permutation matrix *P*₁₂ expresses the mapping *P*₁ → *P*₂ and the consecutive multiplication of *A*(*G*₁) with *P*₁₂ and *P*₁₂^T results in *A*(*G*₂).

* Present address: Institute of Chemistry, 61115 Ljubljana, Hajdrihova 19, Slovenia.

[†] Camille and Henry Dreyfus Teacher-Scholar.



SCIENCE @ DIRECT

Register or Login: Password: [Athens/Institution Log](#)[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#) [Help](#)Quick Search: within [All Full-text Sources](#) [Search Tips](#)

results 1 - 11

11 Articles Found

pub-date > 1995 and TITLE-ABSTR-KEY(Symmetry and equivalent and connection)

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#) [Article List](#) [Partial Abstracts](#) [Full Abstracts](#)☐ [display checked docs](#) ☐ [e-mail articles](#) ☐ [export citations](#)Sort By: [Date](#)

1. ☐ **Lagrangian duality between constrained estimation and control** • ARTICLE
Automatica, Volume 41, Issue 6, June 2005, Pages 935-944
Graham C. Goodwin, José A. De Doná, María M. Seron and Xiang W. Zhuo
[Abstract](#)
2. ☐ **Some remarks on \mathfrak{g} -invariant Fedosov star products and quantum momentum mappings** • ARTICLE
Journal of Geometry and Physics, Volume 50, Issues 1-4, April 2004, Pages 257-272
Michael F. Müller-Bahns and Nikolai Neumaier
[Abstract](#)
3. ☐ **Homomorphisms of conjunctive normal forms** • ARTICLE
Discrete Applied Mathematics, Volume 130, Issue 2, 15 August 2003, Pages 351-365
Stefan Szeider
[Abstract](#)
4. ☐ **Descent theory and Amitsur cohomology of triples** • ARTICLE
Journal of Algebra, Volume 266, Issue 1, 1 August 2003, Pages 261-304
Claudia Menini and Dragoş Ştefan
[Abstract](#)
5. ☐ **Non-linear σ -model for gauge field disorder** • ARTICLE
Nuclear Physics B, Volume 593, Issues 1-2, 15 January 2001, Pages 361-397
T. Guhr and T. Wilke
[Abstract](#)
6. ☐ **Anomaly matching and syzygies in $N=1$ gauge theories** • ARTICLE
Nuclear Physics B, Volume 561, Issues 1-2, 8 November 1999, Pages 77-99
Ph. Brax, C. Grojean and C. A. Savoy
[Abstract](#)
7. ☐ **Geometrical theory of uniform Cosserat media** • ARTICLE
Journal of Geometry and Physics, Volume 26, Issues 1-2, June 1998, Pages 127-170

Marcelo Epstein and Manuel de Leon
[Abstract](#)

-
8. ☐ **What is special Kähler geometry?** • ARTICLE
Nuclear Physics B, Volume 503, Issue 3, 20 October 1997, Pages 565-613
 Ben Craps, Frederik Roose, Walter Troost and Antoine Van Proeyen
[Abstract](#)
-
9. ☐ **Integrable models as constrained topological gauge theory** • ARTICLE
Nuclear Physics B - Proceedings Supplements, Volume 57, Issues 1-3, August 1997, Pages 338-341
 O. K. Pashaev
[Abstract](#)
-
10. ☐ **X-ray and spectral characterization of defects in garnets** • ARTICLE
Journal of Crystal Growth, Volume 177, Issues 3-4, 1 June 1997, Pages 207-210
 A. Lupei, C. Stoicescu and V. Lupei
[Abstract](#) | [Abstract + References](#) | [PDF \(301 K\)](#)
-
11. ☐ **Mirror symmetry is T-duality** • ARTICLE
Nuclear Physics B, Volume 479, Issues 1-2, 11 November 1996, Pages 243-259
 Andrew Strominger, Shing-Tung Yau and Eric Zaslow
[Abstract](#)
-

11 Articles Found

pub-date > 1995 and TITLE-ABSTR-KEY(Symmetry and equivalent and connection)

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

results **1 - 11**

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

[? Help](#)

[Contact Us](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2006 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.